

IT Series HDD Copier/Eraser 1 to 15 (IT1500G)



Rating: Not Rated Yet

[Ask a question about this product](#)

IT-G Series (IT1500G)

Main features of the HDD Copier/Eraser 1-15 (IT1500G)

- High-performance HDD Copier with transfer speeds of up to 9 GB per minute.
- Supports FAT16/32/exFAT, NTFS, Linux(Ext2/Ext3/Ext4), Mac(HFS, HFS+, HFSX) file system copying.
- Data Sanitization: Quick Erase, DoD erase, and Secure Erase.
- Open-Platform Design supports Multi-Interface HDD/SSD.
- Real-Time PC Monitoring with PC-Link software.
- iSecuLog Report Management records all task details for better production management.
- Cable-free connection for easier HDD insertion & removal.



- [Product Description](#)

- [Features](#)
- [Specification](#)
- [Comparison Chart](#)


Product Description

IT series is a professional SATA HDD duplicator, specially designed for high-volume duplication. U-Reach adopted a unique multitasking technology, it can simultaneously copy up to 15 HDD targets with a high transfer speed of 9GB per minute.

We guarantee the highest productivity without speed degradation even as the number of targets increases. The IT series SATA HDD duplicator provides four copy modes: quick smart copy, all partitions copy, percentage copy and whole HDD copy that all meet different duplication task requirements. The quick copy mode copies data and skips blank area. NTFS, Linux (Ext2/Ext3/Ext4), FAT/FAT32, Mac (HFS, HFSX, HFS+) formats are all supported with quick copy mode.

In addition, the IT series SATA HDD duplicator is equipped with different levels of secure erase functions, Quick Erase, Full Erase, DoD 5220 Erase government standards and Secure Erase which can fulfill different levels of security for HDD wiping.

Features



• Impeccable efficiency

With up to **9 GB/m** transferring bandwidth, the IT-G Professional Factory HDD Copier is the best solution for Professional HDD/PC/NB Manufacturers. Each SATA interface operates independently. No matter how many targets you would like to duplicate, the speed stays the same and doesn't decline. 9 GB per minute is far beyond any PC-based duplicators.

• Whole HDD Copy

Whole HDD Copy mode supports all kinds of partition and data formats and copies every sector of the source HDD.


• Systems & Data Copy



This mode is compatible with the HDD formats of FAT16/32/64, NTFS, Linux(ext2/ext3/ext4), Mac(HFS, HFS+, HFSX). It will only copy the data and system area of the HDD which greatly reduces copying time.

• Data Sanitization Modes

- Quick Erase:** Takes only a few seconds to complete
- Full Erase:** Erase the complete HDD
- DoD Erase:** Complies with the U.S. Department of Defense's standard of erasing.
- Secure erase:** A National Institute of Standards and Technology (NIST 800-88) accepted technique for properly purging hard drives. This method is supported by almost all modern SATA HDD.



• Device Compatibility



- Supports GPT, MBR table format
- Supports Advanced format HDD, Up to 15TB above device
- Supported OS: Linux, Unix, Windows, Macintosh, etc. are all supported.

- **Open Platform Design**

- Easier HDD Insertion & Removal



- Cable-free connection on HDD: supports 1.8"/2.5"/3.5" SATA HDD and SSD



- Swappable HDD Port Module: easy and convenient replacement and maintenance



- Via Adaptor: 2.5", 3.5" IDE HDD, mSATA SSD, micro SATA, eSATA, iVDR interfaces are compatible



- **Real-Time PC Monitoring**

The PC-Link software is absolutely perfect for monitoring the work progress during operation in real-time. All relevant information for EVERY PORT is displayed on your PC screen, a powerful tool for sorting out lagging HDDs and keeping the operation as efficient as possible.

1. Monitor duplication status from PC while duplicators are connected to it.

SL	PROD	QTY	UNIT	PRICE	AMOUNT	TAX	DISC	NET AMT	UNIT PRICE	UNIT TAX	UNIT DISC	UNIT NET
01	PROD1	10	EA	123.45	1234.50	123.45	0.00	1111.05	123.45	12.34	0.00	1111.05
02	PROD2	5	EA	56.78	283.90	28.39	0.00	255.51	56.78	5.67	0.00	56.78
03	PROD3	20	EA	34.56	691.20	69.12	0.00	622.08	34.56	3.45	0.00	34.56
04	PROD4	15	EA	78.90	1183.50	118.35	0.00	1065.15	78.90	7.89	0.00	78.90
05	PROD5	8	EA	90.12	720.96	72.09	0.00	648.87	90.12	9.01	0.00	90.12
06	PROD6	12	EA	45.67	548.04	54.80	0.00	493.24	45.67	4.56	0.00	45.67
07	PROD7	3	EA	21.34	64.02	6.40	0.00	57.62	21.34	2.13	0.00	21.34
08	PROD8	7	EA	67.89	475.23	47.52	0.00	427.71	67.89	6.78	0.00	67.89
09	PROD9	18	EA	101.23	1822.14	182.21	0.00	1639.93	101.23	10.12	0.00	101.23
10	PROD10	6	EA	89.01	534.06	53.40	0.00	480.66	89.01	8.90	0.00	89.01
11	PROD11	9	EA	54.32	488.88	48.88	0.00	439.99	54.32	5.43	0.00	54.32
12	PROD12	4	EA	32.10	128.40	12.84	0.00	115.56	32.10	3.21	0.00	32.10
13	PROD13	11	EA	76.54	841.94	84.19	0.00	757.75	76.54	7.65	0.00	76.54
14	PROD14	2	EA	15.67	31.34	3.13	0.00	28.21	15.67	1.56	0.00	15.67
15	PROD15	16	EA	98.76	1580.16	158.01	0.00	1422.15	98.76	9.87	0.00	98.76
16	PROD16	5	EA	40.12	200.60	20.06	0.00	180.54	40.12	4.01	0.00	40.12
17	PROD17	13	EA	60.98	792.74	79.27	0.00	713.47	60.98	6.09	0.00	60.98
18	PROD18	7	EA	25.43	178.01	17.80	0.00	160.21	25.43	2.54	0.00	25.43
19	PROD19	10	EA	80.21	802.10	80.21	0.00	721.89	80.21	8.02	0.00	80.21
20	PROD20	4	EA	12.34	49.36	4.93	0.00	44.43	12.34	1.23	0.00	12.34


2. Shows and records the brand name, model, S/N, duplication time, result of every HDD from all the ports, the info of both source HDD and target HDD are recorded.

Port	Status	Progress	Speed	Capacity	Model	Version	Serial No.
00	READ	43,928 (4335,1280)	132.63 MB/s	149.05GB	HTS1460013AS	CC2.2	94Y3700V
01	WRITE	43,068 (4310,1780)	155.70 MB/s	465.76GB	HTS1500413AS	CC2.2	94Y3700V

3. Slow R/W speed HDD detection: lagging HDD can be easily sorted because user can see the duplication speed of every port via the “Event Log”


Port	Status	Progress	Speed	Capacity	Model
01	READ	78.214 (7720.19MB)	117.54 MB/s	149.05GB	ST3140013AS
02	WRITE	78.084 (7707.19MB)	129.57 MB/s	445.76GB	ST3500418AS
03	WRITE	78.054 (7684.50MB)	140.57 MB/s	445.76GB	ST3500418AS

4. In order to export a log report select a period of time and click "Generate Report". The data will be exported into a .txt file and saved on PC. The date of export is the file name. (e.g. 20130308.txt)



- **Log Report Management**

- Records operation time, each port's process details, including HDD's model, capacity, S/N, result (pass, fail).
- Real-Time recording and viewing Log Report via PC-Link.



- Log report (txt file) can be generated via USB port and saved to USB device



• Up to 30,000 log entries can be saved. One instruction onto each HDD is recorded as one log entry. (e.g. duplication from 1 HDD to 21 targets will be recorded to 21 log entries)

• iSecuLog(Anti-Tampering Log Report)

Any falsification can be detected to ensure the report is genuine. You do not need to worry anymore about whether a log report is genuine or not.



• Auto power control system

When the duplicator stops executing any function, the HDD Copier will automatically cut off the power of each port to protect the HDD from damage during removal from the duplicator. The power of each port will only be supplied when the operation is running.



• Standalone operation

There are two modes of operation available for selection, standalone and PC-link operation, each meeting different demands. Standalone is excellent in simplifying operation and very user-friendly (all duplication jobs can be completed via input through 4 buttons).

Specification

		Model	IT1500G
		Targets	15
		HDD Interface	SATA
		Display	Monochrome LCD
		Input	4 push buttons (Forward, Back, Erase, Power)
		Compatible Interface	1.8"/2.5"/3.5" SATA HDD
		Erase Modes	Quick erase, full erase, DoD erase
		Duplication Modes	1.Quick Copy (Systems & files) 2.All partition 3.1:1
		Support Format	1.Systems & files: FAT,NTFS, Linux(ext2, ext3, ext4),GPT, L formats
		Support Language	English, Japanese
		Power Supply	Adjustable voltage 115V-240V
Humidity	Operating	20%~80%	
	Storage	5%~95%	
Temperature	Operating	5?~45?	
	Storage	-20?~85?	
Safety		CE, FCC, ROHS	

Comparison Chart



HDD/SSD Duplicator / Eraser Comparison Chart



Series	IT	MT	MTS-SAS	Super1
Ports	1-3; 1-7; 1-15	1-7; 1-15; 1-23	1-3; 1-7; 1-15	1-1~1-11; 1-15; 1-24; 1-37
Speed	G: 9GB/min H: 18GB/min U: 30GB/min	G: 9GB/min H: 18GB/min U: 30GB/min	18 GB/min	9 GB/min
Supported Protocol	SATA	SATA	SAS & SATA	SATA
Copy and Erase	V	V	V	V
HPA Copy/Erase	V	V	V	
Output Log Report	V	V	V	
PC Monitor	V	V	V	
Asynchronous Erase Button			V	
Daisy-chain		MTC1600H (15GB/min)		
Hardware Design	Guide Rail Design 	Open-platform Design (Easy to support multi-interface HDD/SSD) 		Support 2.5" SATA through optional adapter 

The Data Equipment Expert | Customer | Hardware | Service

www.ureach.eu