USB Drive Copier 1 to 7 (UB800)





Rating: Not Rated Yet

Ask a question about this product

Carry Series

Main features of the Combo USB Flash Drive Copier 1-7 (UB800)

- · Standalone, no PC required, without risk of virus infection.
- · Lightweight, user friendly design.
- . "Quick Copy" saves time.
- Data Sanitization: Quick Erase and Full Erase.
- · High-speed copy performance supports up to 2GB per minute.
- Designed support capability up to 18TB.
 - Product Description
 - Features
 - Specifications

Product Description

UB800 is the best portable 1 to 7 USB Flash Drive Copier. Its lightweight design and friendly interface allows easy operation for personal, office and shop applications. Just plug in your master USB flash drive in the source port, target cards in the target ports, and press "OK", it will execute copy.

The unit is an FPGA-based, standalone design which means no need PC support or any installation procedures. When the system is turned off, no data is left in it, so there is no risk of virus infection. While switching on and off, it quickly boots up and shuts down, saving time for operation.

Features

Copy Anywhere

Amazing compact form factor allow user to go anywhere & copy anywhere!



Sensible Control

Simple yet smart easy control for all age group.




Superb Versatility

UB800 supports all USB Brand! Carry Series allow you to copy confidently!



2 Kinds of Copy Modes



Supports NTFS, FAT16/62/64 and Linux (ext2/3/4). Bit-by-bit copy more which copies exactly like the master device.

Supports all proprietary and unknown formats.

Standard Package



Specifications

Features

Model UB800
Target 1-7
Specifications Maximum Transfer Speed

Capacity

Operation Type
Supported Languages
LCD Display
LEDs
Control Panel
Copy Modes

2.0GB/min. (33MB/sec.)
Actual performance is dependent on device transfer speeds
Supports the latest market available capacity Designed support capability up-to 18TB.
Stand-alone, FPGA-based operation (Non PC-based)
English
Backlit Monochrome LCD Display
2 LED (Red/Green) Indicators per port
4 Push Buttons(?, ?, OK, ESC)
Quick Copy (Systems & Files Copy)

Whole Media Copy Bit-by-bit data comparison Compare Function Sanitization Modes Quick Erase and Full Erase Formats device to FAT16 or FAT32 Format Functions Compatibilities Compatible Devices USB pen drives, USB hard disks Quick Copy: FAT16/32/64, Windows (NTFS), and Linux Supported Formats (Ext2/Ext3/Ext4)
Whole Media Copy: All Formats, including proprietary formats Supported O/S All (Windows, Mac, Linux, and other stand-alone systems) Power Supply Working Temperature 12V 7A Hardware Specifications 5°C ~ 45°C (41°F ~ 113°F) -20°C ~85°C (-4°F ~ 185°F) Storage Temperature Working Humidity 20% ~ 80% Storage Humidity 5% ~ 95% **Dimensions** 152 x 178 x 49 mm Weight 990 g

FCC, CE, RoHS

Certifications

4 / 4